

# Programmation 1

TD n°1

Amrita Suresh \*

15/09/2020

## Exercise 1 : Language discovery

For each of the following program or fragment of program, please indicate : (a) What the fragment does (b) Is it written using the imperative or functional paradigm (c) In which language the fragment is written.

1. PROGRAM HELLO  
WRITE(6,\*) 'HELLO WORLD'  
STOP  
END
2. PROGRAM FACT  
J=1  
DO 1 I=1,10  
J=J\*I  
1 CONTINUE  
WRITE(6,2) J  
2 FORMAT(I8)  
STOP  
END
3. 001 IDENTIFICATION DIVISION.  
002 PROGRAM-ID. 'HELLO'.  
003 ENVIRONMENT DIVISION.  
004 CONFIGURATION SECTION.  
005 SOURCE-COMPUTER. IBM-360.  
006 OBJECT-COMPUTER. IBM-360.  
0065 SPECIAL-NAMES.  
0066 CONSOLE IS CNSL.  
007 DATA DIVISION.  
008 WORKING-STORAGE SECTION.  
009 77 HELLO-CONST PIC X(12) VALUE 'HELLO,WORLD'.  
075 PROCEDURE DIVISION.  
090 000-DISPLAY.  
100 DISPLAY HELLO-CONST UPON CNSL.  
110 STOP RUN.
4. (defun fact (n)  
(do\* ((i 1 (+ i 1)) (j 1 (\* j i)))  
((>= i n) j)))
5.  $\square \leftarrow */_{10}$
6. def factorial(n):  
result = 1

---

\*Majority of the material has been gathered with help from the TAs of this course over the past few years.

```

        for i in range(1, n+1):
            result *= i
        return result
7. int fact (int n)
{
    int i, j;

    j = 1;
    for (i=1; i<=n; i++)
        j *= i;
    return j;
}
8. fact :: Int -> Int
fact 1 = 1
fact n = n * fact (n-1)
9. let rec fact n =
    if n==1
    then 1
    else n * fact (n-1);;
10. fact(1, 1).
fact(N, M) :- N > 1, fact (N-1, M1), M=M1*N.
11. counter=$1
factorial=1
while [ $counter -gt 0 ]
do
    factorial=$(( $factorial * $counter ))
    counter=$(( $counter - 1 ))
done
echo $factorial
12. /factorial {
    dup 1 eq {}{
        dup 1 sub factorial mul
    } ifelse
} def
13. function fac(n){
    return(n<2)?1:fac(n-1)*n;
}

```

## Exercise 2: Representation of numbers

1. How many values can a 1 bit integer take? What about 3 bits? What about  $n$  bits?
2. You're building a fence 100 feet long, with posts every 10 feet. How many posts do you need?

### Unsigned numbers

The sequence  $\vec{a} \triangleq a_{n-1} \cdots a_0$  of digits is interpreted as

$$\llbracket \vec{a} \rrbracket_u \triangleq \sum_{k=0}^{n-1} a_k 2^k$$

## Two's complement. AKA signed numbers

The sequence  $\vec{a} \triangleq a_{n-1} \cdots a_0$  of digits is interpreted as

$$[\vec{a}]_{tc} \triangleq -a_{n-1}2^{n-1} + \sum_{k=0}^{n-2} a_k 2^k$$

3. What values can a natural number represented using  $n$  bits take? What about a signed number?
4. Compute the following additions on 4 bit unsigned numbers :
  - (a)  $0010 + 0110$
  - (b)  $0101 + 1010$
  - (c)  $1011 + 1101$
  - (d)  $1010 + 0110$

## One's complement

The sequence  $\vec{a} \triangleq a_{n-1} \cdots a_0$  of digits is interpreted as

$$[\vec{a}]_{tc} \triangleq \begin{cases} \sum_{k=0}^{n-2} a_k 2^k & \text{if } a_{n-1} = 0 \\ \sum_{k=0}^{n-2} (a_k - 1) 2^k & \text{otherwise} \end{cases}$$

5. How does one write 1 using One's complement? What about  $-1$ ? How can you negate a number?
6. What is a huge drawback of this representation?
7. Using previous examples, build an algorithm to add two numbers in One's complement. (Hint : the question is, how to handle the carry).
8. Why does your algorithm terminate?
9. What is printed by the Java program below?

```
byte i = 101, j = 87, k = -101, l = -99;
byte m, n, o;
m = i+j; n = j+k; o = k+l;
System.out.println(m);
System.out.println(n);
System.out.println(o);
```

**Exercise 3: Representation of text**

1. Decode the following ASCII string (written using hexadecimal codes)  
`64 6f 6e 27 74 20 70 61 6e 69 63`

## A few Unicode characters

U+000A	LINE FEED (LF)
U+0020	SPACE
U+0021	EXCLAMATION MARK
U+002C	COMMA
U+0030	DIGIT ZERO
U+0041	LATIN CAPITAL LETTER A
U+0061	LATIN SMALL LETTER A

2. What could be the shortcomings of UTF-32 ?

#### UTF-8 encoding

- U+0000 à U+007F : 0xxxxxxx
- U+0080 à U+07FF : 110xxxxx 10xxxxxx
- U+0800 à U+FFFF : 1110xxxx 10xxxxxx 10xxxxxx
- U-10000 à U-1FFFFFF : 11110xxx 10xxxxxx 10xxxxxx 10xxxxxx

3. Decode the following UTF-8 string

70 65 6E 20 70 69 6E 65 61 70 70 6C 65

4. Does UTF-8 have the same shortcomings as UTF-32 ? How and why ?
5. When fetching the following webpage

<https://projects.lsv.ens-cachan.fr/topology/wp-admin/post.php?post=251&action=edit>

my web browser displays :

Now remember that  $(x_i)_{i \in I}$  converges to  $x$  if and only if every open subset  $U$  that contains  $x$  is such that  $x_i$  is eventually in  $U$ . One obtains an equivalent definition by stating that every neighborhood  $A$  of  $x$  (i.e., in  $N_x$ ) is such that  $x_i$  is eventually in  $A$ . In other words, if and only if  $N_x$  is included in the convergence filter of the net.

However, the server `projects.lsv.ens-cachan.fr` sent to my browser the following (extract) of code :

```
Now remember that (<em>x<sub>i</sub></em>) <em><sub>i</sub></em>
<sub> in </sub> <em><sub>I, &sqsubseteq</sub></em> converges to
<em>x</em> if and only if every open subset <em>U</em> that
contains <em>x</em> is such that <em>x<sub>i</sub></em> is
eventually in <em>U</em>. One obtains an equivalent definition
by stating that every neighborhood <em>A</em> of <em>x</em>
(i.e., in <em>N<sub>x</sub></em>) is such that
<em>x<sub>i</sub></em> is eventually in <em>A</em>.
In other words, if and only if <em>N<sub>x</sub></em>
is included in the convergence filter of the net.
```

How does it compare to Unicode ?

6. Going back to the first example of HTML, the file started with :

```
<?
$EXTRA_HEAD="antispam.html";
$ARG_BODY="onload=\"onLoad()\"";
SETLANG("fr");
STYLEDPTINFO();
HEAD("Conf&eacute;rences de rentr&eacute;e 2015");
ADDTITLE("Conf&eacute;rences de rentr&eacute;e 2015");
MKPAGEDPTINFO();
?>
```

This is not HTML. What language is used ? What does it compute ?